

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	10	((("6454377") or ("6499821") or ("6981761") or ("5861895") or ("6714173") or ("4633269") or ("6695437") or ("6575547") or ("6530636") or ("5805177")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/26 16:15
S3	1	S2 and (sensor detector measur\$4) with drive near4 circuit	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/26 16:18
S4	122	347/14,17,19.ccls. and (sensor detector measur\$4) with drive near4 circuit	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/26 16:18
S5	39	347/14,17,19.ccls. and (sensor detector measur\$4) with temperature with drive near4 circuit	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/26 16:47
S6	34	347/14,17,19.ccls. and (sensor detector measur\$4) with temperature with drive near4 circuit and (ink with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/26 16:52
S7	29	347/14,17,19.ccls. and (sensor detector measur\$4) with temperature with drive near4 circuit and (ink near4 temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/26 16:56
S8	6	347/14,17,19.ccls. and (sensor detector measur\$4) with temperature with drive near4 circuit and ((indicative correspond\$4) with ink near4 temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/26 17:02
S9	1	347/14,17,19.ccls. and (sensor detector measur\$4) with temperature with driving near4 circuit and ((indicative correspond\$4) with ink near4 temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/26 17:14
S10	7	temperature near3 (driv\$4 adj circuit) with temperature near3 ink	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 09:14
S11	45	temperature with (driv\$4 adj circuit) with temperature near3 ink	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 09:14

## EAST Search History

S12	1	temperature with (driv\$4 adj circuit) with (approximat\$4 indicat\$4 represent\$4) with temperature near3 ink	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 09:15
S13	77	temperature with (detector sensor measur\$4) with (approximat\$4 indicat\$4 represent\$4) with temperature near3 ink	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 09:16
S14	77	(detector sensor measur\$4) with (approximat\$4 indicat\$4 represent\$4) with temperature near3 ink	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 09:22
S15	1123	(detector sensor measur\$4) with (approximat\$4 indicat\$4 represent\$4) with temperature near3 liquid	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 09:22
S16	4	"347"/\$.ccls. and (detector sensor measur\$4) with (approximat\$4 indicat\$4 represent\$4) with temperature near4 liquid	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:07
S17	72747	"347"/\$.ccls. (detector sensor measur\$4) with temperature with (piezoelectric pzt actuator)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:08
S18	67389	"347"/\$.ccls. (detector sensor measur\$4) with temperature with (piezoelectric pzt actuator) same temperature with (ink liquid fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:08
S19	66971	"347"/\$.ccls. (detector sensor measur\$4) with temperature with (piezoelectric pzt) same temperature with (ink liquid fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:09
S20	105	"347"/\$.ccls. and (detector sensor measur\$4) with temperature with (piezoelectric pzt actuator) same temperature with (ink liquid fluid)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:13
S21	1	pct/gb00/04394	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:13
S22	4	"347"/\$.ccls. and zapka.in.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:15
S23	232	"347"/\$.ccls. and (sens\$4 detect\$4 measur\$4) with temperature with (driv\$4 near3 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:16

## EAST Search History

S24	205	"347"/\$.ccls. and (sens\$4 detect\$4 measur\$4) near4 temperature with (driv\$4 near3 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:16
S25	87	"347"/9,10,11,14,17,19.ccls. and (sens\$4 detect\$4 measur\$4) near4 temperature with (driv\$4 near3 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:17
S26	96	"347"/9,10,11,14,17,19.ccls. and (sens\$4 detect\$4 measur\$4) near4 temperature with (driv\$4 near3 circuit IC)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:34
S27	0	("2004/0119770").URPN.	USPAT	OR	ON	2006/06/27 10:21
S28	206	"347"/9,10,11,14,17,19.ccls. and (sens\$4 detect\$4 measur\$4) near4 temperature with (driv\$4 near3 (circuit head) IC)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:35
S29	56	"347"/9,10,11,14,17,19.ccls. and (sens\$4 detect\$4 measur\$4) near4 temperature with (driv\$4 near3 (circuit head) IC) and (driv\$4 near3 (circuit head) IC) with thermal\$4	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:37
S30	6	"347"/9,10,11,14,17,19.ccls. and (sens\$4 detect\$4 measur\$4) near4 temperature with (driv\$4 near3 (circuit head) IC) and (driv\$4 near3 (circuit head) IC) with thermal\$4 with (coupled contact)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:38
S31	0	"347"/9,10,11,14,17,19.ccls. and usada.in. and thermal\$4 near4 (coupled contact)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:39
S32	115	"347"/9,10,11,14,17,19.ccls. and thermal\$4 near4 (coupled contact)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:39
S33	13	"347"/9,10,11,14,17,19.ccls. and thermal\$4 near4 (coupled contact) with (IC circuit driv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 10:39
S34	2	"6454377"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 11:11
S35	1	"6257688".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 11:11

## EAST Search History

S36	270	"347"/\$.ccls. and (sens\$4 detect\$4 measur\$4) with temperature near4 (driv\$4 near3 (head circuit IC))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:18
S37	122	"347"/10,11,14,17,19.ccls. and (sens\$4 detect\$4 measur\$4) with temperature near4 (driv\$4 near3 (head circuit IC))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:18
S38	126	"347"/10,11,14,17,19,68.ccls. and (sens\$4 detect\$4 measur\$4) with temperature near4 (driv\$4 near3 (head circuit IC))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:19
S39	121	"347"/10,11,14,17,19,68.ccls. and (sens\$4 detect\$4 measur\$4) near5 temperature near4 (driv\$4 near3 (head circuit IC))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:27
S40	0	"347"/10,11,14,17,19,68.ccls. and (sens\$4 detect\$4 measur\$4) with "temperature of" near2 (driv\$4 near3 (head circuit IC))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:29
S41	0	"347"/\$.ccls. and (sens\$4 detect\$4 measur\$4) with "temperature of" near2 (driv\$4 near3 (head circuit IC))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:36
S42	1	("6270180").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/27 13:29
S43	0	"347"/\$.ccls. and (thermistor diode) with "temperature of" near2 (driv\$4 near3 (head circuit IC))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:36
S44	18	"347"/\$.ccls. and (thermistor diode) with temperature near2 (driv\$4 near3 (head circuit IC))	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:50
S45	1825	"347"/\$.ccls. and temperature near3 (IC driv\$4 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:50
S46	497	"347"/10,11,14,17,19.ccls. and temperature near3 (IC driv\$4 circuit)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:51
S47	234	"347"/10,11,14,17,19.ccls. and temperature near3 (IC driv\$4 circuit) with (sensor detector measur\$4 thermistor diode)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/06/27 13:51